EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"7328153".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:37
L2	2	L1 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:37
L3	11	(query adj fingerprint and candidate adj fingerprint)and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:41
L4	5	(query adj fingerprint and candidate adj fingerprint)same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:41
L5	1	L1 and(query adj fingerprint and candidate adj fingerprint) same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:41
L6	0	L1 and(query adj fingerprint same candidate adj fingerprint) same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:42
L7	2	(query adj fingerprint same candidate adj fingerprint)same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:42
L8	1	statistical adj module same (query adj fingerprint same candidate adj fingerprint)same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:43
L9	1	statistical adj module same (query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:44

L10	2	(query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:44
L11	2	query adj fingerprint same candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:44
L12	2	query adj fingerprint and candidate adj fingerprint and statistical adj module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:45
L13	2	query adj fingerprint and statistical adj module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:45
L14	119	query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:45
L15	13	L14 and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:46
L16	7	L15 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:48
L17	4	L15 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:48
L18	4	L17 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 10:49
L19	0	L18 and(statistical adj module oe model\$1) same(query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/10/06 11:03

L20	0	L18 and(statistical adj module oe model\$1) and(query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:03
L21	0	L18 and(statistical adj module or model\$1)and(query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:03
L22	2	(statistical adj module or model \$1)and(query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:03
L23	2	(match\$3 or comparasion or combined)and(query adj fingerprint same candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:06
L24	13	(match\$3 or comparasion or combined)and(query adj fingerprint and candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:06
L25	4	L24 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:06
L26	7	(match\$3 or comparasion or combined)same(query adj fingerprint and candidate adj fingerprint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:07
L27	2	L26 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:07
L28	5	(match\$3 or comparasion or combined)same(query adj fingerprint and candidate adj fingerprint)same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:08
L29	2	L28 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/10/06 11:08

L30	2	L29 and(statistical adj module or model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 11:09
S1	2	query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:38
S2	0	S1 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:46
S3	16	query adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
S4	5	query adj fingerprint and candidate adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
S5	3	S4 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
S6	2	S4 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:51
S7	10	query adj fingerprint and model and threshold and (signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:55
S8	3	S7 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:55
S9	2	S8 and candidate adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/03/20 14:56

S10	1	query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:03
S11	0	(query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:04
S12	0	(query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm.	US-PGPUB	OR	ON	2009/03/20 15:04
S13	1	query adj fingerprint and statistical adj model and(signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
S14	74	query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
S15	73	query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
S16	54	\$15 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:07
S17	15	S15 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:07
S18	0	\$17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:08
S19	0	\$17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:08

S20	3	\$17 and model\$1 and threshold and(signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:09
S21	2	S20 and vector and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:09
S22	2	S21 and(match\$3 or comparision or correlation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:11
S23	2	S22 and query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:12
S24	0	S23 and statistical adj model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:12
S25	2	\$23 and model\$1 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:13
S26	25	((JOB) near2 (OOSTVEEN)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:19
S27	1	\$26 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:19
S28	98	((ANTONIUS) near2 (KALKER)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:20
S29	2	\$28 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:20
S30	1	\$29 and(@ad<"20031118" or @riad<"20031118" or @prad<"20031118" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21
S31	0	\$30 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21

S32	48	((JAAP) near2 (HAITSMA)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:21
S33	1	S32 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:22
S34	0	(query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and search\$3 and lextract\$3 and(comparision or match\$3 or correlation or similar)).CLM.	US-PGPUB	OR	ON	2009/03/20 15:25
S35	1	(query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparision or match\$3 or correlation or similar)).CLM.	US-PGPUB	OR	ON	2009/03/20 15: 2 5
S36	36741	"382"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:26
S37	0	S36 and query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparision or match\$3 or correlation or similar)	USPAT	OR	ON	2009/03/20 15:26
S38	1	S36 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:27
S39	0	\$38 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:28
S40	10	S36 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:30
S41	0	S40 and fingerprint and statistical adj model and threshold\$1	US-PGPUB	OR	ON	2009/03/20 15:31
S42	0	S40 and candidate adj fingerprint and statistical adj model and threshold\$1	US-PGPUB	OR	ON	2009/03/20 15:31
S43	1	S40 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:32
S44	14212	"704"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:32
S45	1	S44 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:33
S46	28368	"700"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:34

S47	0	S46 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:35
S48	0	S46 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:35
S49	0	"396"/\$.ccls	USPAT	OR	ON	2009/03/20 15:35
S50	0	S49 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:36
S51	0	S49 and fingerprint	USPAT	OR	ON	2009/03/20 15:36
S52	100	query adj fingerprint and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:37
S53	13	S52 and query adj fingerprint and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:38
S54	8	\$53 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:39
S55	1	\$54 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 and construct\$3 adj query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:40
S56	0	\$55 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:40
S57	4	S54 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:41
S58	91	(("(20070071330") or ("20090028441") or ("7142699") or ("720030169910") or ("20080270373") or ("63014196") or ("5953443") or ("20070003114") or ("6007304") or ("66904304") or ("65910999") or ("66240409") or ("6646686") or ("6466686") or ("6466686") or ("6392830") or ("7346512") or ("7365170") or ("7346512") or ("7365170") or ("7346512") or ("7356170") or ("7346512") or ("7356170") or ("7346512") or ("7356170") or ("7356170	US-PGPUB; USPAT; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2009/03/20 15:46

S67 ¹ 3	S66 and guery adj fingerprint	USPAT	OR	ON	2009/03/20
S66 3	S65 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:00
S65 13	S64 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:00
S64 32080	80 "707"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:59
S63 O	"707"/\$.ccls	USPAT	OR	ON	2009/03/20 15:59
962 0	S61 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:59
S61 1	\$60 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:59
S60 2	S59 and query adj fingerprint and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:58
3 59 15	S58 and query adj fingerprint and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:52
	("20020083060") or ("20050004941") or ("20050004941") or ("200501808143") or ("20050180614") or ("20050180614") or ("20060161777") or ("2006012833") or ("2006012833") or ("20060208981") or ("20060208981") or ("20060208981") or ("5272657") or ("5272657") or ("5272657") or ("5272657") or ("58960101") or ("5004507") or ("59760101") or ("4618988") or ("6577675") or ("44618988") or ("6577675") or ("4578688") or ("657675") or ("5776868") or ("2004120647") or ("6568649") or ("20070160259") or ("12070160259")				

S68	2	S67 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:01
S69	1	S68 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:02
S70	95295	"340"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:07
S71	1	S70 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:07
S72	0	S71 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:07
S73	0	S71 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:08
S74	0	S71 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:08
S75	1	S71 and @ad< "20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:08
S76	51940	"356"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:09
S77	0	S76 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:09
S78	10687	"283"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:09
S79	2	S78 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:09
S80	0	S79 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:10
S81	0	S79 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:10
S82	1	S79 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:10
S83	0	S82 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:10

S84	0	S82 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:11
S85	22832	"713"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:12
S86	2	S85 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:13
S87	1	S86 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:13
S88	0	S87 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:13
S89	0	S87 and @ad< "20031118"	USPAT	OR	ON	2009/03/20 16:14
S90	150	candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:29
S91	119	Query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:29
S92	13	(S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:29
S93	4	S92 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:30
S94	0	S93 and statistical adj model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:31
S95	2	S93 and model\$1 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:31
S96	150	candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:02

S97	150	candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:03
S98	119	Query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:03
S99	13	S97 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:03
S100	4	S99 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:03
S101	2	S100 and model\$1 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:03
S102	2	S101 and Query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:07

10/6/09 11:40:52 AM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 9412.wsp